

Color Card

Digital printing films and laminates









- Latex
- UV) UV curable inks
- S (Eco-)Solvent
- Meets anti-slip standards ANSI A137.1 / A326.3 and Pendulum Test BS 7976-2:2002 + A1:2013
- Classified to international flame retardant standards, please check the product's data sheet for details.
- ASLAN Dryapply adhesive technology for easy, bubble-free application

Digital printing films and laminates		d laminates	Material Durability				tf.	door	ح	
			PCR PET			Thickness	Width Length	Indoor Outdoor	Classification	Printability
	Product	Characteristics	PCF	FE	PVC	Thio.	Wid	ludo	Clas	Prir
	LoopPET Dryapply ASLAN DRL 19 PCR PET	White, glossy	3 Y			1.9 mil	54" x 50 yd	I/O	Dry apply	L) (JV)
	MonsterTack ASLAN DFP 05	White, glossy			7 Y	2.8 mil	48" x 50 yd	1/0		L UV S
	UltraTack Transparent ASLAN DFP 06	Clear, glossy				3 mil				
9.00	UltraTack ASLAN DFP 07	White, glossy				3 mil				
Multipurpose	UltraTack Grey ASLAN DFP 07G	White, glossy, grey adhesive			7 Y	3 mil	54" x 50 yd	1/0		L UV S
Aultip	UltraTack Matt ASLAN DFP 08	White, matte				3 mil				
2	UltraTack Matt Grey ASLAN DFP 08G	White, matte, grey adhesive				3 mil				
	LifeTime Removable ASLAN DFP 40	White, glossy								
	LifeTime Removable ASLAN DFP 41	Clear, glossy			•	3.15 mil	54" x 50 yd	-1		L UV S
	LifeTime Removable ASLAN DFP 42	White, matte								
Wall Graphics	WrapTheHouse ASLAN DFP 45	White, glossy								
	WrapTheHouse Matt ASLAN DFP 55	White, matte			3 Y	3.15 mil	54" x 25 yd	1/0		L (IV) (S)
Wall	WrapTheHouse Transparent ASLAN DFP 65	Clear, matte								
	Print'nGo ASLAN DFP 33	White, matte				4.9 mil	54" x 25 yd	-1	Ø \$	L UV S
	Print'nGo Street ASLAN DFP 36	White, matte				4.9 mil	54" x 25 yd	1/0	(3)	L UV S
hics	Print'nGo ASLAN DFP 44	Clear, matte			Σ	5.5 mil	54" x 25 yd	1	(3)	L UV S
Floor graphics	WrapTheStreet ASLAN DFP 46	White, glossy			up to 6 h	3.15 mil	54" x 25 yd	1/0		(L) (UV) (S)
Floor	WrapTheFloor ASLAN DFP 47	White, glossy			dn	6 mil	54" x 25 yd	1/0		L) (UV) (S)
	WrapTheBase ASLAN DFP 48	White, glossy				3.15 mil	54" x 54.7 yd	ı		L) (UV) (S)
	WrapTheCarpet ASLAN DFP 49	White, glossy				6 mil	54" x 27.3 yd	1		(L) (UV) (S)
0n PVC	SignTack Removable ASLAN DFP 13G	White, matte, grey adhesive			up to 3 M	3.15 mil	54" x 54.7 yd	1/0		L (JV) (S)
	LoopPET Clear ASLAN DRP 18 PGR PET	Clear, glossy	3 Y			1.9 mil	54" x 50 yd	1/0		(L) (UV)
	WindowBlock ASLAN DFP 25	White, glossy			3 Y	7 mil	54" x 25 yd	1/0		(L) (UV) (S)
ass	PrintDusted Dryapply ASLAN DFL 200						54" x 50 yd			
On glass	PrintMilky Dryapply ASLAN DFL 210				7 Y	3.15 mil	54" x 54.7 yd	- - I/0	Ø ppy	
	PrintEtched Dryapply ASLAN DFL 300	Translucent					54" x 50 yd			
	PrintSilverEtched Dryapply ASLAN DFL 302						54" x 50 yd			
Light	LightboxPrint Dryapply ASLAN DFL 20	White, matte			7 Y	3.5 mil	54" 63" x 27.3 yd	1/0	Dry	L UV S
ect	LoopPET Metal ASLAN CRA 31 PCR PET	Silver and gold	2 Y			1.9 mil	54" x 27.3 yd	1/0		(L) (UV)
ial eff	PrintMetal ASLAN CA 30	Six effects (PET/PVC)		3-!	5 Y	5.5 mil	49" x 25 yd	1/0		(L) (UV) (S)
spec	Holographic ASLAN SE 72 PVC free	Holographic film		3 Y		1.9 mil	40" x 25 yd	1/0		(L) (UV)
Metal and special effect	MetalColour ASLAN CA 24	Five effects (PET/PVC)		2	Υ	5.5 mil	48" x 26	1/0		(L) (UV) (S)
Meta	MetalLux Print ASLAN SEP 50	Two effects (PET/PVC)		2	Υ	5.5 mil	49" x 27.3 yd	1/0		(L) (UV) (S)
Ferro	FerroSoft Print ASLAN FF 480	White, matte			•	19 mil	40" x 14 yd	1		L (JV) (S)
	LoopLAM ASLAN SRL 19 PCR PET	Glossy	3 Y			1.9 mil	54" x 50 yd	1/0		
	LoopPET Clearboard ASLAN CRB 91 PCR PET	Glossy	5 Y			1.9 mil	54" x 50 yd	1/0		
	ClearBoardMatt ASLAN CB 75	Matte			5 Y	3.15 mil	54" x 50 yd	1/0		
	ClearBoard ASLAN CB 90 PVC free	Glossy		5 Y		1.9 mil	54" x 50 yd	1/0		all inks ole inks.
	GalleryLAM ASLAN SL 98	High-gloss		3-5 Y		4.9 mil	49" x 27.3 yd	1/0		nks.
ilms	MonsterLAM ASLAN SL 05	Glossy		2 Y		12 mil	48" x 27.3 yd	1/0		rallir able i
ation (SoftTouch ASLAN SL 109 PVC free	Matte (PP)				1.4 mil	54" x 50 yd	1		e with V cura
Lamination films	PremiumProtect ASLAN SL 17	Glossy					54"			Compatible with all inks including UV curable inks.
La	PremiumProtect Matt ASLAN SL 18	Matte			7 Y	3 mil	63" x 54.7 yd	1/0		Compat
	Premium FloorProtect ASLAN MP 300	Matte			up to 6 M	5.5 mil	54" x 25 yd	1/0		=
	Floor Protect ASLAN MP 326	Matte			up to	4.9 mil	54" x 25 yd	1/0		
	AntiGraffiti ASLAN SL 95 PVC free			5 Y		1.9 mil	54" x 50 yd	1/0		
	MagicProtect Matt ASLAN SL 99	Matte			3 Y	3.15 mil	54" x 50 yd	1/0		
							,-		*	

Digital printing films and laminates

		4						
	LoopPET Dryapply ASLAN DRL 19 PCR							
Wall Graphics Multipurpose	MonsterTack ASLAN DFP 05	Monstrous grip for extremely difficult surfaces. Exceptionally strong adhesive, incredibly versatile in extreme conditions – motocross, helmets, sports armour, trailer, ABS plastics, plywood. Applyable at 14° F (-10° C).						
	UltraTack Transparent ASLAN DFP 06							
	UltraTack ASLAN DFP 07							
	UltraTack Grey ASLAN DFP 07G	Extra strong adhesive for "hard-to-stick" substrates like non-polar (low energy) or highly absorbent surfaces and rough or uneven substrates Also greatly popular for wall coverings, doming and low temperature applications from 41° F (5° C). Five variations for an all-round solution.						
	UltraTack Matt ASLAN DFP 08							
	UltraTack Matt Grey ASLAN DFP 08G							
	LifeTime Removable ASLAN DFP 40							
	LifeTime Removable ASLAN DFP 41	Perfect for a wide variety of surfaces e.g. wood-chip or standard wallpaper, wood, glass and paintwork. Easily removable even after long periods of time. Your perfect choice for temporary indoor applications and wall decals. The clear version LifeTime Removable ASLAN DFP 41						
	LifeTime Removable ASLAN DFP 42	is perfect in combination with WindowBlock ASLAN DFP 25.						
	WrapTheHouse ASLAN DFP 45							
	WrapTheHouse Matt ASLAN DFP 55	Turns every facade into an eye-catching advertising space. A special adhesive system ensures that it can be applied on brick or rough wall Easily removable in one piece without residues up to six months. If applied with heat on the entire surface it has an outdoor durability of up to						
	WrapTheHouse Transparent ASLAN DFP	three years without lamination.						
Floor graphics films	Print'nGo ASLAN DFP 33	Short-term floor graphic applications on smooth indoor surfaces. The structured surface meets anti-slip standards ANSI A137.1 / A326.3 and						
		Pendulum Test BS 7976-2:2002 + A1:2013. Short-term floor graphic applications on rough indoor and outdoor floors (e.g. asphalt). The film surface meets anti-slip standards						
	Print'nGo Street ASLAN DFP 36	ANSI A137.1 / A326.3 and pendulum test BS 7976-2:2002 + A1:2013.						
	Print'nGo ASLAN DFP 44	Extremely rough surface, meets anti-slip standards ANSI A137.1 / A326.3 and Pendulum Test BS 7976-2:2002 + A1:2013. Approved for slip resistance in wet barefoot areas.						
	WrapTheStreet ASLAN DFP 46	The benchmark for applications on asphalt and cobblestones. Classified to Euroclass flame retardant standard DIN EN 13501-1 once printed and laminated with ASLAN floor graphics laminates Premium FloorProtect ASLAN MP 300 or FloorProtect ASLAN MP 326.						
г дгар	WranTheFloor ASLAN DED /7	For smooth indoor and outdoor walls like polished stone, marble and granite. No adhesive migration, perfect removability. Classified to						
Floor	WrapTheFloor ASLAN DFP 47	Euroclass flame retardant standard DIN EN 13501-1 once printed and laminated with ASLAN floor graphics laminates Premium FloorProtect ASLAN MP 300 or FloorProtect ASLAN MP 326.						
	WrapTheBase ASLAN DFP 48	Perfect for short-term use on smooth indoor floors. Removable without residues, ideal for POS/POP in retail design. Perfect in combination with the ASLAN floor graphics laminates Premium FloorProtect ASLAN MP 300 or FloorProtect ASLAN MP 326.						
	WrapTheCarpet ASLAN DFP 49	For short pile carpet and carpet tiles. Can be easily removed in one piece without leaving any residue. Classified to Euroclass flame retardan standard DIN EN 13501-1 once printed and laminated with ASLAN floor graphics laminates Premium FloorProtect ASLAN MP 300 or Outdoo						
		FloorProtect ASLAN MP 326.						
On PVC	SignTack Removable ASLAN DFP 13G	Short-term applications on previously applied, (printed) PVC films with perfect removability up to three months. A grey adhesive ensures a high opacity. Perfect for peel and reveal applications.						
ass	LoopPET Clear ASLAN DRP 18 PCR	Polyester with 70 % content of PCR PET, excellent removability and transparency for window graphics.						
	WindowBlock ASLAN DFP 25	Double-sided white block-out film, 7 mil for a high opacity and ease of application. Perfect for double-sided stickers.						
	PrintDusted Dryapply ASLAN DFL 200							
On glass	PrintMilky Dryapply ASLAN DFL 210	Four different finishes of glass decoration films with the unique ASLAN Dryapply technology for an easy, time saving and, if necessary, easy to						
	PrintEtched Dryapply ASLAN DFL 300	be corrected application. Has excellent removability even after years.						
	PrintSilverEtched Dryapply ASLAN DFL	02						
ight- box	LightboxPrint Dryapply ASLAN DFL 20	Highly translucent for illuminated signs, equipped with the unique ASLAN Dryapply technology.						
ر پر	LoopPET Metal ASLAN CRA 31 PCR	Polyester with 70 % content of PCR PET, double-sided metallized. Ideal for all sign and print applications on flat surfaces.						
al effe	PrintMetal ASLAN CA 30	Highly scratch-resistant, double-sided metallized, 5-year outdoor life. Ideal for high quality signs and window graphics.						
Metal and special effect	Holographic ASLAN SE 72							
and :	MetalColour ASLAN CA 24	PET/PVC compound in five metallic colors for unique CAD & print applications on flat surfaces e.g. winter season's retail projects. Additional						
Metal	MetalLux Print ASLAN SEP 50	colors on request. Classy, matte champagne and platinum shades for all smooth surfaces. For complete coverage or for cut graphics.						
Ferro	FerroSoft Print ASLAN FF 480	Flexible self-adhesive white ferrous film to transform any smooth surface into a magnet-receptive board. Combine it with ASLAN dry erase						
H e		lamination films ClearBoard ASLAN CB 90 or ClearBoardMatt ASLAN CB 75.						
	LoopLAM ASLAN SRL 19 PCR							
	LoopPET Clearboard ASLAN CRB 91 PCR	Professional, long-lasting top-coated film, turning smooth surfaces into a dry erase board. Available in matte (suitable as a projection screen						
	ClearBoardMatt ASLAN CB 75	or gloss and now also in a glossy, more sustainable LoopPET version.						
Lamination films	ClearBoard ASLAN CB 90 PVC							
	GalleryLAM ASLAN SL 98 PVC							
	MonsterLAM ASLAN SL 05	For the protection of surfaces in the most challenging conditions. Monster combination with MonsterTack ASLAN DFP 05.						
	SoftTouch ASLAN SL 109 PVC	ee PVC free laminate giving your print a soft, highly tactile anti-glare finish, higher color brilliance.						
	PremiumProtect ASLAN SL 17	Premium long-term protection for all prints, both indoors and outdoors. Available in matte and gloss.						
	PremiumProtect Matt ASLAN SL 18	· · · · · · · · · · · · · · · · · · ·						
	Premium FloorProtect ASLAN MP 300	Designed for the protection of floor graphics both outdoors and indoors. Meets anti-slip standards ANSI A137.1 / A326.3 and Pendulum Test BS						
	Premium Ploof Protect ASLAN MP 300	7976-2:2002 + A1:2013, Approved for slip resistance in wet barefoot areas. In combination with the ASLAN floor graphic films and the printed						
	Floor Protect ASLAN MP 326	7976-2:2002 + A1:2013. Approved for slip resistance in wet barefoot areas. In combination with the ASLAN floor graphic films and the printed inks, it offers a unique Euroclass Bfl-s1 certification.						
		inks, it offers a unique Euroclass Bfl-s1 certification.						







US sales and distribution center

POLI-TAPE USA Inc. 12322 East 55th Street Tulsa, OK 74134 United States of America Head office and manufacturing ASLAN Selbstklebefolien GmbH

Oberauel 2 | 51491 Overath Germany

phone +49 2204 708-80

Please contact us

phone (904) 215-1411 email info@aslanvinyls.com

www.**aslan**vinyls.com web











ASLAN - A POLI-TAPE Group Company

